Medicare Coverage Issues Manual

Department of Health & Human Services (DHHS)

Centers for Medicare & Medicaid Services (CMS)

Transmittal 155 Date: MAY 1, 2002

CHANGE REQUEST 2149

HEADER SECTION NUMBERS	PAGES TO INSERT	PAGES TO DELETE
Table of Contents	2	1
45-30 - 45-31	2	2

NEW/REVISED MATERIAL--EFFECTIVE DATE: October 1, 2002 IMPLEMENTATION DATE: October 1, 2002

Section 45-31, Intravenous Immune Globulin's (IVIg) for the Treatment of Autoimmune Mucocutaneous Blistering Diseases, is added to provide limited coverage for the use of IVIg for the treatment of biopsy-proven (1) Pemphigus Vulgaris, (2) Pemphigus Foliaceus, (3) Bullous Pemphigoid, (4) Mucous Membrane Pemphigoid (a.k.a., Cicatricial Pemphigoid), and (5) Epidermolysis Bullosa Acquisita.

Use J1563 to bill for IVIg for the treatment of biopsy-proven (1) Pemphigus Vulgaris, (2) Pemphigus Foliaceus, (3) Bullous Pemphigoid, (4) Mucous Membrane Pemphigoid, and (5) Epidermolysis Bullosa Acquisita.

This revision to the Coverage Issues Manual is a national coverage decision (NCD). The NCDs are binding on all Medicare carriers, intermediaries, peer review organizations, health maintenance organizations, competitive medical plans, and health care prepayment plans. Under 42 CFR 422.256(b), an NCD that expands coverage is also binding on a Medicare+Choice Organization. In addition, an administrative law judge may not review an NCD. (See §1869(f)(1)(A)(i) of the Social Security Act.)

These instructions should be implemented within your current operating budget.

DISCLAIMER: The revision date and transmittal number only apply to the redlined material. All other material was previously published in the manual and is only being reprinted.

COVERAGE ISSUES

Nonselective (Random) Transfusions and Living-Related Donor	
Specific Transfusions (DST) in Kidney Transplantation	35-71
Electrotherapy for Treatment of Facial Nerve Paralysis	
(Bell's Palsy) - Not Covered	35-72
Injection Sclerotherapy for Esophageal Variceal Bleeding	35-73
External Counterpulsation (ECP) for Severe Angina	35-74
Intraoperative Ventricular Mapping	35-75
Neuromuscular Electrical Stimulation (NMES) in the Treatment	
of Disuse Atrophy	35-77
Diagnostic Endocardial Electrical Stimulation (Pacing)	35-78
Anesthesia in Cardiac Pacemaker Surgery	35-79
Treatment of Kidney Stones	35-81
Pancreas Transplants	35-82
24-Hour Ambulatory Esophageal pH Monitoring	35-83
Stereotactic Cingulotomy as a Means of	25.04
Psychosurgery - Not Covered	35-84
Implantation of Automatic Defibrillators	35-85
Gastric Balloon for Treatment of Obesity - Not Covered	35-86
Heart Transplants Extra compared Photophorosis	35-87 35-88
Extracorporeal Photopheresis Speech Pathology Services for the Treatment of Dyenhagia	35-89
Speech Pathology Services for the Treatment of Dysphagia Extracorporeal Immunoadsorption (ECI) Using Protein A Columns	33-69
for the Treatment of Patients With Idiopathic	
Thrombocytopenia Purpura (ITP) Failing Other Treatments	35-90
Laparoscopic Cholecystectomy	35-91
Transcendental MeditationNot Covered	35-92
Lung Volume Reduction Surgery (Reduction Pneumoplasty, Also	33 72
Called Lung Shaving or Lung Contouring) Unilateral or	
Bilateral By Open or Thoracoscopic Approach for Treatment	
of Emphysema and Chronic Obstructive Pulmonary Disease - Not Covered	35-93
Transmyocardial Revascularization With Laser - Not Covered	35-94
Partial Ventriculectomy (Also known as Ventricular Reduction, Ventricular	35-95
Remodeling, or Heart Volume Reduction Surgery) - Not Covered	
Cryosurgery of Prostate - Not Covered	35-96
Vertebral Axial Decompression (VAX-D) - Not Covered	35-97
Electronicstimulation in the Treatment of Wounds	35-98
Abortion	35-99
Photodynamic Therapy	35-100
Treatment of Actinic Keratosis	35-101
a 1' D	
<u>Supplies - Drugs</u>	
L-Dopa	45-1
Insulin Syringe	45-3
Vitamin B-12 Injections to Strengthen Tendons, Ligaments, Etc., of the	
Foot - Not Covered	45-4
Hydrophilic Contact Lens for Corneal Bandage	45-7
Laetrile and Related Substances - Not Covered	45-10
Autogenous Epidural Blood Graft	45-11
Porcine Skin and Gradient Pressure Dressing	45-12
Physician's Office Within an Institution - Coverage of	
Services and Supplies Incident to a Physician's Services	45-15
Certain Drugs Distributed by the National Cancer Institute	45-16
Transfer Factor for Treatment of Multiple Sclerosis Granulocyte Transfusions	45-18
Transcutaneous Electrical Nerve Stimulation (TENS) for Acute Post-Operative Pain	45-19

COVERAGE ISSUES

Ethylenediamine-Tetra-Acetic (EDTA) Chelation Therapy for Treatment of Atherosclerosis Scalp Hypothermia During Chemotherapy to Prevent Hair Loss Lymphocyte Immune Globulin, Anti-Thymocyte Globulin (Equine) Dimethyl Sulfoxide (DMSO) Anti-Inhibitor Coagulant Complex (AICC) Supplies Used in the Delivery of Transcutaneous Electrical Nerve Stimulation (TENS) and Neuromuscular Electrical Stimulation (NMES) Platelet-Derived Wound Healing Formula Blood Transfusions Antigens Prepared for Sublingual Administration Intravenous Iron Therapy Photosensitive Drugs Intravenous Immune Globulin for the Treatment of Autoimmune Mucocutaneous Blistering Diseases	45-20 45-21 45-22 45-23 45-24 45-25 45-26 45-27 45-28 45-29 45-30
Diagnostic Services	
Cardiac Pacemaker Evaluation Services Cytotoxic Food Tests - Not Covered His Bundle Study Gravlee Jet Washer Thermography Plethysmography Ultrasound Diagnostic Procedures Consultation Services Rendered by a Podiatrist in a Skilled Nursing Facility Gastrophotography Vabra Aspirator Computerized Tomography Magnetic Resonance Imaging Magnetic Resonance Imaging Magnetic Resonance Angiography Electrocardiographic Services Hemorheograph Laboratory Tests - CRD Patients Electron Microscope Pronouncement of Death Diagnostic Pap Smears Screening Pap Smears and Pelvic Examinations for Early Detection of Cervical Cancer or Vaginal Cancer Mammograms Challenge Ingestion Food Testing Histocompatibility Testing Hair Analysis Esophageal Manometry Dental Examination Prior to Kidney Transplantation Xenon Scan Hospital and Skilled Nursing Facility Admission Diagnostic Procedures Cytogenetic Studies Nuclear Radiology Procedure Evoked Response Tests Percutaneous Transluminal Angioplasty (PTA) Uroflowmetric Evaluations Obsolete or Unreliable Diagnostic Tests Sweat Test	50-1 50-2 50-3 50-4 50-5 50-6 50-7 50-8 50-9 50-10 50-12 50-13 50-14 50-15 50-16 50-17 50-18 50-19 50-20 50-20 50-21 50-22 50-23 50-24 50-25 50-26 50-27 50-28 50-29 50-30 50-31 50-32 50-33 50-34
Positron Emission Transverse Tomography (PET or PETT) Scans Noninvasive Tests of Carotid Function	50-36 50-37

45-28 ANTIGENS PREPARED FOR SUBLINGUAL ADMINISTRATION

For antigens provided to patients on or after November 17, 1996, Medicare does not cover such antigens if they are to be administered sublingually, i.e., by placing drops under the patient's tongue. This kind of allergy therapy has not been proven to be safe and effective. Antigens are covered only if they are administered by injection.

45-29 INTRAVENOUS IRON THERAPY

Iron deficiency is a common condition in end stage renal disease (ESRD) patients undergoing hemodialysis. Iron is a critical structural component of hemoglobin, a key protein found in normal red blood cells (RBCs) which transports oxygen. Without this important building block, anemic patients experience difficulty in restoring adequate, healthy RBCs that improve hematocrit levels. Clinical management of iron deficiency involves treating patients with iron replacement products while they undergo hemodialysis. Body iron stores can be supplemented with either oral or intravenous (IV) iron products. The available evidence suggests that the mode of intravenous administration is perhaps the most effective treatment for iron deficiency in hemodialysis patients. Unlike oral iron products which must be absorbed through the GI tract, IV iron products are infused directly into the bloodstream in a form that is readily available to the bone marrow for RBC synthesis, resulting in an earlier correction of iron deficiency and anemia.

- A. Effective December 1, 2000, Medicare covers *sodium ferric gluconate complex in sucrose injection* as a first line treatment of iron deficiency anemia when furnished intravenously to patients undergoing chronic hemodialysis who are receiving supplemental erythropoeitin therapy.
- B. Effective October 1, 2001, Medicare also covers *iron sucrose injection* as a first line treatment of iron deficiency anemia when furnished intravenously to patients undergoing chronic hemodialysis who are receiving supplemental erythropoeitin therapy.

45-30 PHOTOSENSITIVE DRUGS

Photosensitive drugs are the light-sensitive agents used in photodynamic therapy. Once introduced into the body, these drugs selectively identify and adhere to diseased tissue. The drugs remain inactive until they are exposed to a specific wavelength of light, by means of a laser, that corresponds to their absorption peak. The activation of a photosensitive drug results in a photochemical reaction which treats the diseased tissue without affecting surrounding normal tissue.

Verteporfin

Verteporfin, a benzoporphyrin derivative, is an intravenous lipophilic photosensitive drug with an absorption peak of 690 nm. This drug was first approved by the Food and Drug Administration (FDA) on April 12, 2000, and subsequently, approved for inclusion in the United States Pharmacopoeia on July 18, 2000, meeting Medicare's definition of a drug as defined under \$1861(t)(1) of the Social Security Act. Effective July 1, 2001, Verteporfin (Q3013 – Injection, Verteporfin, 15 mg) is only covered when used in conjunction with ocular photodynamic therapy (see \$35-100 PHOTODYNAMIC THERAPY) when furnished intravenously incident to a physician's service. For patients with age-related macular degeneration, Verteporfin is only covered with a diagnosis of neovascular age-related macular degeneration (ICD-9-CM 362.52) with predominately classic subfoveal choroidal neovascular (CNV) lesions (where the area of classic CNV occupies = 50% of the area of the entire lesion) at the initial visit as determined by a fluorescein angiogram (CPT code 92235). Subsequent follow-up visits will require a fluorescein angiogram prior to treatment. There are no requirements regarding visual acuity, lesion size, and number of retreatments.

45-31 INTRAVENOUS IMMUNE GLOBULIN FOR THE TREATMENT OF AUTOIMMUNE MUCOCUTANEOUS BLISTERING DISEASES

Intravenous immune globulin (IVIg) is a blood product prepared from the pooled plasma of donors. It has been used to treat a variety of autoimmune diseases, including mucocutaneous blistering diseases. It has fewer side effects than steroids or immunosuppressive agents.

Effective October 1, 2002, IVIg is covered for the treatment of biopsy-proven (1) Pemphigus Vulgaris, (2) Pemphigus Foliaceus, (3) Bullous Pemphigoid, (4) Mucous Membrane Pemphigoid (a.k.a., Cicatricial Pemphigoid), and (5) Epidermolysis Bullosa Acquisita for the following patient subpopulations:

- 1. Patients who have failed conventional therapy. Contractors have the discretion to define what constitutes failure of conventional therapy;
- 2. Patients in whom conventional therapy is otherwise contraindicated. Contractors have the discretion to define what constitutes contraindications to conventional therapy; or
- 3. Patients with rapidly progressive disease in whom a clinical response could not be affected quickly enough using conventional agents. In such situations IVIg therapy would be given along with conventional treatment(s) and the IVIg would be used only until the conventional therapy could take effect.

In addition, IVIg for the treatment of autoimmune mucocutaneous blistering diseases must be used only for short-term therapy and not as a maintenance therapy. Contractors have the discretion to decide what constitutes short-term therapy.